




Think Global Logistics CONTAINERS



20' STANDARD

ISO Type Group 22 GP
ISO Size Type 22 G1

Inside Dimension

Measure	Length	Width	Height
Millimeters	5,900	2,352	2,395
Feet	19' 4 1/4"	7' 8 5/8"	7' 10 1/4"

Door Opening

Measure	Width	Height
Millimeters	2,340	2,292
Feet	7' 8 1/8"	7' 6 1/4"

Weight

Measure	Max gross	Tare (Weight)	Max Payload
Kilograms	30,480	2,350	28,130
Pounds	67,197	5,181	62,016

40' STANDARD

ISO Type Group 42 GP
ISO Size Type 42 G1

Inside Dimension

Measure	Length	Width	Height
Millimeters	12,032	2,352	2,395
Feet	39' 5 5/8"	7' 8 5/8"	7' 10 1/4"

Door Opening


Measure	Width	Height
Millimeters	2,340	2,292
Feet	7' 8 1/8"	7' 6 1/4"

Weight

Measure	Max gross	Tare (Weight)	Max Payload
Kilograms	32,500	3,750	28,750
Pounds	71,650	8,267	63,383



Think Global Logistics CONTAINERS



20' HARDTOP

Capacity	33.0 cbm / 1,165 cbft
ISO Type Group	22 UP
ISO Size Type	22 U6

Inside Dimension

Measure	Length	Width	Height
Millimeters	5,886	2,342	2,313
Feet	19' 3 3/4"	7' 8 1/8"	7' 7"

Door Opening

Measure	Width	Height
Millimeters	2,336	2,276
Feet	7' 8"	7' 5 5/8"

Roof Opening

Measure	Width	Length
Millimeters	2,208	5,590
Feet	7' 2 7/8"	18' 4"

Weight

Measure	Max gross	Tare (Weight)	Max Payload
Kilograms	30,480	2,700	27,780
Pounds	67,200	5,950	61,250



40' HARDTOP

Capacity	67.2 cbm / 2,374 cbft
ISO Type Group	42 UP
ISO Size Type	42 U6

Inside Dimension

Measure	Length	Width	Height
Millimeters	12,020	2,342	2,313
Feet	39' 5 1/4"	7' 10"	7' 7"

Door Opening

Measure	Width	Height
Millimeters	2,336	2,276
Feet	7' 8"	7' 5 5/8"

Roof Opening


Measure	Width	Length
Millimeters	2,208	11,724
Feet	7' 2 7/8"	38' 5 1/2"

Weight


Measure	Max gross	Tare (Weight)	Max Payload
Kilograms	30,480	4,700	25,780
Pounds	67,200	10,360	56,840



Think Global Logistics CONTAINERS



2,233 mm
7' 3 7/8"



2,264 mm
7' 5 1/8"

20' FLATRACK

ISO Type Group 22 PC
ISO Size Type 22 P3

Inside Dimension

Measure	Length floor	Length Min.	Width Floor	Width Min.	Height	Height Bottom
Millimeters	6,038	5,638	2,438	2,194	2,233	370
Feet	19' 3 3/4"	18' 6"	8'	7' 2 3/8"	7' 3 7/8"	1' 2 1/2"

Weight

Measure	Max gross	Tare (Weight)	Max Payload
Kilograms	45,000	2,900	42,100
Pounds	99,200	6,400	92,800

40' FLATRACK HIGH CUBE / 40' PLATFORM

ISO Type Group 45 PC
ISO Size Type 45 P3

Inside Dimension

Measure	Length floor	Length Min.	Width Floor	Width Min.	Height	Height Bottom
Millimeters	12,048	11,652	2,347	2,245	2,265	648
Feet	39' 6 1/4"	38' 2 3/4"	7' 8 3/8"	7' 4 3/4"	7' 4 1/8"	2' 1 1/2"

Weight

Measure	Max gross	Tare (Weight)	Max Payload
Kilograms	55,000	5,900	49,100
Pounds	121,250	12,900	108,350



Think Global Logistics CONTAINERS



20' OPEN TOP

Capacity	32.5 cbm / 1,149 cbft
ISO Type Group	22 U7
ISO Size Type	22 U1

Inside Dimension

Measure	Length	Width	Height
Millimeters	5,895	2,350	2,340
Feet	19' 4 1/8"	7' 8 1/2"	7' 8 1/8"

Door Opening

Measure	Width	Height
Millimeters	2,338	2,280
Feet	7' 8"	7' 5 3/4"

Roof Opening

Measure	Width	Length
Millimeters	2,230	5,338
Feet	7' 2 7/8"	17' 6 1/8"

Weight

Measure	Max gross	Tare (Weight)	Max Payload
Kilograms	32,500	2,450	30,050
Pounds	71,650	5,402	66,248

40' OPEN TOP

Capacity	66.8 cbm / 2,359 cbft
ISO Type Group	42 UT
ISO Size Type	42 U1

Inside Dimension

Measure	Length	Width	Height
Millimeters	12,029	2,350	2,380
Feet	39' 5 1/2"	7' 8 1/2"	7' 9 5/8"

Door Opening

Measure	Width	Height
Millimeters	2,340	2,276
Feet	7' 8 1/8"	7' 5 3/4"

Roof Opening

Measure	Width	Length
Millimeters	2,230	11,552
Feet	7' 3 3/4"	37' 10 3/4"

Weight

Measure	Max gross	Tare (Weight)	Max Payload
Kilograms	32,500	4,050	28,450
Pounds	71,650	8,929	62,721



Think Global Logistics CONTAINERS



20' REEFER

Capacity	28,1 cbm / 1,006 cbft
ISO Type Group	22 RT
ISO Size Type	22 R1

Inside Dimension

Measure	Length	Width	Height
Millimeters	5,450	2,280	2,315
Feet	17' 10 1/2"	7' 5 3/4"	7' 1"

Door Opening

Measure	Width	Height
Millimeters	2,290	2,264
Feet	7' 6 1/8"	7' 5 1/8"

Weight

Measure	Max gross	Tare (Weight)	Max Payload
Kilograms	32,000	2,860	29,140
Pounds	70,547	6,305	64,242

40' REEFER HIGH CUBE

Capacity	67,7 cbm / 2,387 cbft
ISO Type Group	45 RT
ISO Size Type	45 R1

Inside Dimension

Measure	Length	Width	Height
Millimeters	11,599	2,290	2,425
Feet	38' 1/4"	7' 6 1/8"	7' 11 1/2"

Door Opening

Measure	Width	Height
Millimeters	2,290	2,557
Feet	7' 6 1/8"	8' 4 5/8"

Weight

Measure	Max gross	Tare (Weight)	Max Payload
Kilograms	34,000	4,420	29,580
Pounds	74,956	9,744	65,212